

WEST Search History

DATE: Monday, May 24, 2004

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
	<i>DB=USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L8	L7	22
<input type="checkbox"/>	L7	L6 and l5	22
<input type="checkbox"/>	L6	=19991223	18587254
<input type="checkbox"/>	L5	(observat\$4 near5 vector) and ((spread near2 spectrum) or (cdma))	34
<input type="checkbox"/>	L4	(observat\$4 near5 vector) and ((spread near2 spectrum) or (cdma)) and (observat\$4 near5 matrix\$)	13
<input type="checkbox"/>	L3	(observat\$4 near5 vector) and ((spread near2 spectrum) or (cdma)) and (observat\$4 near5 metri\$3)	0
<input type="checkbox"/>	L2	(observat\$4 near5 vector) same ((spread near2 spectrum) or (cdma))	5
<input type="checkbox"/>	L1	(observat\$4 near4 vector) same (cdma)	2

END OF SEARCH HISTORY

WEST Search History

Hide Items Restore Clear Cancel

DATE: Monday, May 24, 2004

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L4	(observat\$4 near5 vector) and ((spread near2 spectrum) or (cdma)) and (observat\$4 near5 matrix\$)	13
<input type="checkbox"/>	L3	(observat\$4 near5 vector) and ((spread near2 spectrum) or (cdma)) and (observat\$4 near5 metri\$3)	0
<input type="checkbox"/>	L2	(observat\$4 near5 vector) same ((spread near2 spectrum) or (cdma))	5
<input type="checkbox"/>	L1	(observat\$4 near4 vector) same (cdma)	2

END OF SEARCH HISTORY

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore®**
RELEASE 1.7Welcome
United States Patent and Trademark
Office
IEEE Xplore®
1 Million Documents
1 Million Users
...And Growing[Help](#) | [FAQ](#) | [Terms](#) | [IEEE](#) | [Quick Links](#)[» Search Results](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

Your search matched **2** of **1038994** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Maximum-likelihood synchronization of a single user for code-division multiple-access communication systems***Bensley, S.E.; Aazhang, B.;*Communications, IEEE Transactions on , Volume: 46 , Issue: 3
, March 1998

Pages:392 - 399

[\[Abstract\]](#) [\[PDF Full-Text \(276 KB\)\]](#) **IEEE JNL****2 Root-MUSIC based joint identification and timing estimation of asynchronous CDMA system over Rayleigh fading channel***Wei-Chiang Wu; Kwang-Cheng Chen;*Vehicular Technology Conference, 1998. VTC 98. 48th IEEE
, Volume: 2 , 18-21 May 1998

Pages:1239 - 1243 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(444 KB\)\]](#) **IEEE CNF**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#)
| [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **0** of **1038994** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance in Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

Results:

No documents matched your query.

 Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

 Print Format[Search Results](#) [PDF FULL-TEXT 276 KB] [NEXT](#) [DOWNLOAD CITATION](#)Request Permissions
RIGHTSLINK®

Maximum-likelihood synchronization of a single user for code-division multiple-access communication systems

Bensley, S.E. Aazhang, B.

Cabletron Syst., Rochester, NH, USA ;

This paper appears in: Communications, IEEE Transactions on

Publication Date: March 1998

On page(s): 392 - 399

Volume: 46 , Issue: 3

ISSN: 0090-6778

Reference Cited: 31

CODEN: IECMBT

Inspec Accession Number: 5873684

Abstract:

Code-division multiple access (**CDMA**) has emerged as an access protocol well-suited for voice and data transmission. One significant limitation of the conventional **CDMA** system is the near-far problem where strong signals interfere with the detection of a weak signal. Multiuser detectors assume knowledge of all of the modulation waveforms and channel parameters, and exploit this information to eliminate multiple-access interference (MAI) and to achieve near-far resistance. A major problem in practical application of multiuser detection is the estimation of the signal and channel parameters in a near-far limited system. We consider maximum-likelihood estimation of users delay, amplitude, and phase in a **CDMA** communication system. We present an approach for decomposing this multiuser estimation problem into a series of single-user problems. In this method the interfering users are treated as colored non-Gaussian noise. The **observation vectors** are preprocessed to be able to apply a Gaussian model for the MAI. The maximum-likelihood estimate (MLE) of each user's parameters based on the processed **observation vectors** becomes tractable. The estimator includes a whitening filter derived from the sample covariance matrix which is used to suppress the MAI, thus yielding a near-far resistant estimator

Index Terms:Gaussian processes access protocols amplitude estimation code division

[multiple access](#) [covariance matrices](#) [data communication](#) [delays](#) [filtering](#)
[theory](#) [interference suppression](#) [maximum likelihood detection](#) [maximum](#)
[likelihood estimation](#) [phase estimation](#) [radiofrequency interference](#) [signal](#)
[sampling](#) [spread spectrum communication](#) [synchronisation](#)
[telecommunication channels](#) [voice communication](#) [CDMA system](#) [Gaussian](#)
[model](#) [access protocol](#) [amplitude](#) [channel parameter estimation](#)
[code-division multiple-access communication systems](#) [colored nonGaussian](#)
[noise](#) [data transmission](#) [delay](#) [maximum-likelihood estimation](#)
[maximum-likelihood synchronization](#) [modulation waveforms](#) [multiple-access](#)
[interference elimination](#) [multiuser detectors](#) [multiuser estimation](#) [near-far](#)
[problem](#) [near-far resistant estimator](#) [phase](#) [processed observation vectors](#)
[sample covariance matrix](#) [signal estimation](#) [single-user problems](#) [spread](#)
[spectrum signals](#) [voice transmission](#) [weak signal detection](#) [whitening filter](#)

Documents that cite this document

Select link to view other documents in the database that cite this one.

Reference list:

- 1, R. L.Pickholtz, D. L.Schilling, and L. B.Milstein, “Theory of spread-spectrum communications—A tutorial,” *IEEE Trans. Commun.*, vol. COM-30, pp. 904-912, May 1982.
- 2, J.Holmes and C.Chen, “Acquisition time performance of PN spread-spectrum systems,” *IEEE Trans. Commun.*, vol. COM-25, pp. 778-783, Aug. 1977.
- 3, R. B.Ward and K.Yiu, “Acquisition of pseudonoise signals by recursion-aided sequential estimation,” *IEEE Trans. Commun.*, vol. COM-25, pp. 784-794, Aug. 1977.
- 4, T. K.Moon, R. T.Short, and C. K.Rushforth, “Average acquisition time for SSMA channels,” *Proc. IEEE Military Communications Conf.*, vol. 3, pp. 1042-1046, 1991.
[\[Abstract\]](#) [\[PDF Full-Text \(272KB\)\]](#)
- 5, S.Verdu, “Minimum probability of error for asynchronous Gaussian multiple-access channels,” *IEEE Trans. Inform. Theory*, vol. IT-32, pp. 85-96, Jan. 1986.
- 6, S.Verdu, “Optimum multiuser asymptotic efficiency,” *IEEE Trans. Commun.*, vol. COM-34, pp. 890-897, Sept. 1986.
- 7, R.Lupas and S.Verdu, “Linear multiuser detectors for synchronous code-division multiple-access channels,” *IEEE Trans. Inform. Theory*, vol. 34, pp. 123-136, Jan. 1989.
[\[Abstract\]](#) [\[PDF Full-Text \(1024KB\)\]](#)
- 8, R.Lupas and S.Verdu, “Near–far resistance of multiuser detectors in asynchronous channels,” *IEEE Trans. Commun.*, vol. 38, pp. 496-508, Apr. 1990.
[\[Abstract\]](#) [\[PDF Full-Text \(1036KB\)\]](#)
- 9, H. V.Poor and S.Verdu, “Single-user detectors for multiuser channels,” *IEEE Trans. Commun.*, vol. 36, pp. 50-60, Jan. 1988.

[\[Abstract\]](#) [\[PDF Full-Text \(836KB\)\]](#)

10, M. K.Varanasi and B.Aazhang, “Multistage detection for asynchronous code-division multiple-access communications,” *IEEE Trans. Commun.*, vol. 38, pp. 509-519, Apr. 1990.

[\[Abstract\]](#) [\[PDF Full-Text \(952KB\)\]](#)

11, B.Aazhang, B.-P.Paris, and G.Orsak, “Neural networks for multiuser detection in code-division multiple access systems,” *IEEE Trans. Commun.*, vol. 40, pp. 1212-1222, July 1992.

[\[Abstract\]](#) [\[PDF Full-Text \(984KB\)\]](#)

12, Z.Xie, R.Short, and C.Rushforth, “A family of suboptimum detectors for coherent multiuser communications,” *IEEE J. Select. Areas Commun.*, vol. 8, pp. 683-690, May 1990.

[\[Abstract\]](#) [\[PDF Full-Text \(648KB\)\]](#)

13, Z.Xie, C. K.Rushforth, R.Short, and T. K.Moon, “Joint signal detection and parameter estimation in multiuser communications,” *IEEE Trans. Commun.*, vol. 41, pp. 1208-1216, Aug. 1993.

[\[Abstract\]](#) [\[PDF Full-Text \(656KB\)\]](#)

14, A.Klein and P. W.Baier, “Linear unbiased data estimation in mobile radio systems applying CDMA,” *IEEE J. Select. Areas Commun.*, vol. 11, pp. 1058-1066, Sept. 1993.

[\[Abstract\]](#) [\[PDF Full-Text \(756KB\)\]](#)

15, M.Rupf, F.Tarkoy, and J. L.Massey, “User-separating demodulation for code-division multiple-access systems,” *IEEE J. Select. Areas Commun.*, vol. 12, pp. 786-795, June 1994.

[\[Abstract\]](#) [\[PDF Full-Text \(884KB\)\]](#)

16, U.Madhow and M. I.Honig, “MMSE detection of CDMA signals,” *Int. Symp. Information Theory* San Antonio, TX, pp. 49, 1993.

[\[Abstract\]](#) [\[PDF Full-Text \(144KB\)\]](#)

17, N. B.Mandayam and B.Aazhang, “Gradient estimation for sensitivity analysis and adaptive multiuser interference rejection in code division multiple access systems,” *IEEE Trans. Commun.*, submitted for publication.

18, S.Verdu, *Optimum multiuser signal detection*, Ph.D. dissertation Urbana-Champaign: Dep. Elect. Comp. Eng., Univ. Illinois, 1984.

19, Z.Xie, C. K.Rushforth, and R. T.Short, “A maximum-likelihood estimator of signal power and signal phase for coherent multi-user signal detection,” *IEEE Trans. Commun.*, vol. 36, 1988.

20, Y.Steinberg and H. V.Poor, “On sequential delay estimation in wideband digital communication systems,” *Proc. Int. Symp. Information Theory* San Antonio, TX, pp. 423, Jan. 17–22, 1993.

[\[Abstract\]](#) [\[PDF Full-Text \(124KB\)\]](#)

21, S. Y. Miller and S. C. Schwartz, "Parameter estimation for asynchronous multiuser communication," *Proc. 1989 Conf. Information Sciences and Systems* Baltimore, MD, pp. 294-299, 1989.

22, A. Radovic' and B. Aazhang, "Iterative algorithms for joint data detection and delay estimation for code division multiple access communication systems," *Proc. 31st Annu. Allerton Conf. Communication, Control, and Computing* Monticello, IL, 1993.

23, M. E. Davis and L. B. Milstein, "Improved CDMA performance through multiple access noise rejection," *Proc. IEEE MILCOM '92* San Diego, CA, vol. 3, pp. 36.2.1-36.2.5, 1992.
[\[Abstract\]](#) [\[PDF Full-Text \(404KB\)\]](#)

24, S. E. Bensley and B. Aazhang, "Subspace-based channel estimation for code division multiple access communication systems," *IEEE Trans. Commun.*, vol. 44, pp. 1009-1020, Aug. 1996.
[\[Abstract\]](#) [\[PDF Full-Text \(948KB\)\]](#)

25, H. L. Van Trees, *Detection, Estimation, and Modulation Theory*, New York: Wiley, 1968.

26, D. H. Johnson and D. E. Dudgeon, *Array Signal Processing: Concepts and Techniques* Englewood Cliffs, NJ: Prentice-Hall, 1993.

27, R. Ash, *Real Analysis and Probability*, New York: Academic, 1972.

28, G. W. Stewart, *Introduction to Matrix Computations* San Diego, CA: Academic, 1973.

29, G. H. Golub, "Numerical methods for solving linear least squares problems," *Numer. Math.*, no. 7, pp. 206-216, 1965.

30, P. Krishnaiah, "Some recent developments on complex multivariate distributions," *J. Multivariate Anal.*, vol. 6, pp. 1-30, 1976.

31, B. Yang, "Subspace tracking based on the projection approach and the recursive least squares method," *Proc. ICASSP* Minneapolis, MN, vol. IV, pp. 145-148, 1993.
[\[Abstract\]](#) [\[PDF Full-Text \(316KB\)\]](#)

[Search Results](#) [\[PDF FULL-TEXT 276 KB\]](#) [NEXT](#) [DOWNLOAD CITATION](#)

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

- ☐ By Author
- ☐ Basic
- ☐ Advanced

- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **2** of **1038994** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 **Maximum-likelihood synchronization of a single user for code-division multiple-access communication systems**

Bensley, S.E.; Aazhang, B.;

Communications, IEEE Transactions on , Volume: 46 , Issue: 3

, March 1998

Pages:392 - 399

[\[Abstract\]](#) [\[PDF Full-Text \(276 KB\)\]](#) **IEEE JNL**

2 **Root-MUSIC based joint identification and timing estimation of asynchronous CDMA system over Rayleigh fading channel**

Wei-Chiang Wu; Kwang-Cheng Chen;

Vehicle Technology Conference, 1998. VTC 98. 48th IEEE

, Volume: 2 , 18-21 May 1998

Pages:1239 - 1243 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(444 KB\)\]](#) **IEEE CNF**